

# Turbofleet 10w

Mineral oil based monograde engine oil.

## Description

Turbofleet 10w is manufactured from high quality base oils and carefully selected additives suitable for diesel and petrol engines.

## Application

Turbofleet 10w is suitable for normally aspirated diesel engines and petrol engines in passenger cars, light commercials, plant, compressor, industrial and certain hydraulic and transmission applications. Please check viscosity requirement. They are miscible with all synthetic and mineral based engine oils.

## Specifications

- API CC/SE
- CCMC D1
- Military Mil-L-2104B, Mil-L-46152B

## Benefits

- Cost effective.
- Suitable for mixed fleet.
- Available in varying viscosities

### Typical Inspection Data

Property	Inspection Data
Viscosity Grade	SAE 10
Specific Gravity @ 15.6°C	0.881
Kinematic Viscosity @ 40°C	31.71
Kinematic Viscosity @ 100°C	5.34
Viscosity Index	101
Flash Point (COC, °C)	210
Total Base Number (ng KOH / g)	3.32

## Health and Safety

Please refer to the relevant Trent Material Safety Data Sheet.

January 2014

Prior to using this product, consult the Material Safety Data Sheet for instructions regarding safe handling and environmental issues. The information contained herein is based on data available to us and is believed to be accurate. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY USE, OR ANY OTHER WARRANTY IS EXPRESSED OR TO BE IMPLIED, REGARDING THE ACCURACY OF THESE DATA. THE RESULTS TO BE OBTAINED FROM THE USE THEREOF, OR THE HAZARDS CONNECTED WITH THE USE OF THE PRODUCT. Trent Oil Lubricants Ltd. assumes no liability for any alleged ineffectiveness of the product or any injury or damage, direct or consequential, resulting from the use of this product unless such injury or damage is solely attributable to negligence on the part of Trent Oil Lubricants Ltd.



**Trent Oil (Lubricants) Limited,**

Phoenix House, Kemmel Road, Bulwell, Nottingham, England NG6 9FH

Tel: 0115 927 9166, Fax: 0115 9279 982

technical data